

according to Regulation (EC) No 1907/2006

LASCOL FB 500

Revision date: 25.01.2017

Product code: 42

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LASCOL FB 500

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cutting oil

1.3. Details of the supplier of the safety data sheet

Company name:	LASCOL LUBRIFIANTS
Street:	28 Avenue Carnot, BP 30038
Place:	F-78290 CROISSY SUR SEINE
Telephone:	+33 09.80.52.18.73
e-mail:	lascol.lubrifiants@gmail.com

Telefax: +33 09.57.94.90.76

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Reproductive toxicity: Lact. Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard Statements: May cause harm to breast-fed children. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

alkanes, C14-17, chloro; chlorinated paraffins, C14-17

Pictograms:



Hazard statements

H362	May cause harm to breast-fed children.			
H411	Toxic to aquatic life with long lasting effects.			
Precautionary statements				
P201	Obtain special instructions before use.			
P260	Do not breathe dust/fume/gas/mist/vapours/spray.			
P263	Avoid contact during pregnancy and while nursing.			
P264	Wash hands thoroughly after handling.			
P270	Do not eat, drink or smoke when using this product.			

- P273 Avoid release to the environment. IF exposed or concerned: Get medical advice/attention.
- P308+P313 P391 Collect spillage.
- P501 Dispose of contents/container to hazardous waste.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

LASCOL FB 500

Revision date: 25.01.2017

Product code: 42

Page 2 of 7

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification according to Regulati			
85535-85-9	alkanes, C14-17, chloro; chlorinated paraffins, C14-17			20 - < 25 %
	287-477-0	602-095-00-X		
	Lact., Aquatic Acute 1, Aquatic Chronic 1; H362 H400 H410 EUH066			
4259-15-8	2-Ethylhexyl-zink-dithiophosphat			1 - < 2.5 %
	224-235-5		01-2119493635-27	
	Aquatic Chronic 2; H411			
93820-57-6	Benzolsulfonsäuren, di-C10-18-alkyl Derivate,Calcium-Salze			1 - < 2.5 %
	298-637-4			
	Skin Irrit. 2, Aquatic Chronic 3; H31			
64742-53-6	Baseoil - unspecified, Distillates (petroleum), hydrotreated light naphthenic			0.1 - < 1 %
	265-156-6		01-2119480375-34	
	Asp. Tox. 1; H304			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Seek medical attention if problems persist. No administration in cases of unconsiousness or cramps.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. In case of swallowing, keep the patient at rest and contact a doctor.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Extinguishing powder. Carbon dioxide. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx).



according to Regulation (EC) No 1907/2006

LASCOL FB 500

Revision date: 25.01.2017

Product code: 42

Page 3 of 7

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Large quantities remove mechanically Clean contaminated articles and floor according to the environmental legislation. Clean with detergents. Avoid solvent cleaners.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid oil mist Use only in well-ventilated areas. Dicrect contact with skins avoid. When using do not eat, drink or smoke.

Advice on protection against fire and explosion

Prevent access by unauthorised personnel.

Further information on handling

High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Recommended storage temperature: 5-40 °C

Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs. Do not store with strong oxidizing agents. Maximum period of storage (time): 2 Jahr

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

Use personal protection equipment as per Directive 89/686/EEC.

Eye/face protection

Use glasses or face shield if there is a risk of splashing.

Hand protection

Protect skin by using skin protective cream. Wear protective gloves if advisable under safety aspects. Wash hands before breaks and after work.

Clause of expression meterial (i.e. mitrilie multiple

Gloves of appropriate material (i.e. nitrilic rubber, specification: penetration time: level 6, >480 min., thickness 0,9-1 mm; CE-certified acc. EN 374 cat III)

Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.



according to Regulation (EC) No 1907/2006

LASCOL FB 500

Revision date: 25.01.2017

Product code: 42

Page 4 of 7

Thorough skin-cleansing after handling the product. Set out skin protection guidelines.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	liquid yellow brown characteristic		
			Test method
pH-Value:		not applicable	
Changes in the physical state			
Initial boiling point and boiling range:		not determined	
Flash point:		121 °C	
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Vapour pressure:		not determined	
Density (at 20 °C):		0,96 g/cm³	EN ISO 12185
Viscosity / kinematic: (at 20 °C)		94,50 mm²/s	ASTM D 7042

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

Protect against: heat.

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: none

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
4259-15-8	2-Ethylhexyl-zink-dithiophosphat					
	oral	LD50 mg/kg	4358	Ratte		
64742-53-6	Baseoil - unspecified, Distillates (petroleum), hydrotreated light naphthenic					
	oral	LD50 mg/kg	>5000	Rabbit		
	dermal	LD50 mg/kg	>5000	Rabbit		
	inhalative (4 h) vapour	LC50	>5 mg/l	Rat		



according to Regulation (EC) No 1907/2006

LASCOL FB 500

Revision date: 25.01.2017

Product code: 42

Page 5 of 7

Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.4. Mobility in soil

in delivery condition: liquid

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Land transmort (ADD/DID)

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

SECTION 14: Transport information

Land transport (ADR/RID)	
<u>14.1. UN number:</u>	UN3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 601
Limited quantity:	5 L
Transport category:	3
Hazard No:	90
Other applicable information (land transp	ort)
E1	
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN3082
	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
<u>14.1. UN number:</u>	
<u>14.1. UN number:</u> 14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
<u>14.1. UN number:</u> <u>14.2. UN proper shipping name:</u> 14.3. Transport hazard class(es):	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 9
<u>14.1. UN number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 9 III
<u>14.1. UN number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 9 III
14.1. UN number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Classification code:Special Provisions:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 9 III 9
14.1. UN number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Classification code:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 9 III 9 M6

LASCOL	Safety Data Sheet	
	according to Regulation (EC) No 1907/2006	
	LASCOL FB 500	
Revision date: 25.01.2017	Product code: 42	Page 6 of 7
Marine transport (IMDG)		
<u>14.1. UN number:</u>	UN3082	
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,	LIQUID, N.O.S.
14.3. Transport hazard class(es):	9	
14.4. Packing group:	III	
Hazard label:	9	
	9	
Special Provisions:	274, 335	
Limited quantity:	5 L	
EmS:	F-A, S-F	
Other applicable information (marine tr E1	ansport)	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	UN3082	
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,	LIQUID, N.O.S.
14.3. Transport hazard class(es):	9	
14.4. Packing group:	III	
Hazard label:	9	
	e	
Special Provisions:	A97 A158	
Limited quantity Passenger:	30 kg G	
IATA-packing instructions - Passenger:	964	
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	450 L 964	
IATA-packing institucions - Cargo:	450 L	
Other applicable information (air transp		
E1		
: Y964		
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	yes	NU
	<pre></pre>	¥

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: Baseoil - unspecified, Distillates (petroleum), hydrotreated light naphthenic

National regulatory information

LASCOL LUBRIFIANTS

LASCOL		LASCOL LUBI Safety Data Sheet according to Regulation (EC) No 1907/2006	RIFIANTS			
0000 11/7	LASCOL FB 500					
Revision date: 25.01.2017		Product code: 42	Page 7 of 7			
Employment restriction	s:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.				
Water contaminating cl	ass (D):	2 - clearly water contaminating				
SECTION 16: Other information						
Relevant H and EUH statements (number and full text)						
H304	May be fatal if	swallowed and enters airways.				
H315	Causes skin in	Causes skin irritation.				
H362	May cause ha	May cause harm to breast-fed children.				
H400	Very toxic to aquatic life.					
H410	Very toxic to aquatic life with long lasting effects.					
H411	Toxic to aquati	c life with long lasting effects.				
H412	Harmful to aqu	atic life with long lasting effects.				
EUH066	Repeated expe	osure may cause skin dryness or cracking.				

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)