

according to Regulation (EC) No 1907/2006

### **LASCOL TRP 11**

Revision date: 07.02.2017 Product code: 101 Page 1 of 5

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

LASCOL TRP 11

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Parting agent.

#### 1.3. Details of the supplier of the safety data sheet

Company name: LASCOL LUBRIFIANTS
Street: 28 Avenue Carnot, BP 30038
Place: F-78290 CROISSY SUR SEINE

Telephone: +33 09.80.52.18.73 Telefax: +33 09.57.94.90.76

e-mail: lascol.lubrifiants@gmail.com

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

The preparation is not dangerous in the sense of Directive 1999/45/EC.

#### 2.2. Label elements

### **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
8009-03-8	Petrolatum			50 - < 100 %
	232-373-2	649-254-00-X	01-2119490412-42	
	Carc. 1B; H350			

Full text of H and EUH statements: see section 16.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. Move victim to fresh air. Put victim at rest and keep warm.

#### After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

If swallowed, immediately drink: Water. Move victim to fresh air. Put victim at rest and keep warm.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**





according to Regulation (EC) No 1907/2006

#### **LASCOL TRP 11**

Revision date: 07.02.2017 Product code: 101 Page 2 of 5

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains. Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Suitable material for taking up: Sand, Universal binding agent. Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Use only in well-ventilated areas.

When using do not eat, drink or smoke.

### Advice on protection against fire and explosion

Prevent access by unauthorised personnel.

### Further information on handling

High slip hazard because of leaking or spilled product.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 5-40 °C Maximum period of storage (time): 1 Jahr

# Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Do not store with strong oxidizing agents.

#### Further information on storage conditions

te regulations relating to storage premises apply to workshops where the product is hanled.

#### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

### 8.2. Exposure controls

### Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Use personal protection equipment as per Directive 89/686/EEC.





according to Regulation (EC) No 1907/2006

### **LASCOL TRP 11**

Revision date: 07.02.2017 Product code: 101 Page 3 of 5

### Eye/face protection

Use glasses or face shield if there is a risk of splashing.

#### Hand protection

Protect skin by using skin protective cream.

Wear protective gloves if advisable under safety aspects.

Wash hands before breaks and after work.

Gloves of appropriate material (i.e. nitrilic rubber, specification: penetration time: level 6, >480 min., thickness

0,9-1 mm; CE-certified acc. EN 374 cat III)

### Skin protection

Chemical resistant safety shoes.

Take off immediately all contaminated clothing.

Thorough skin-cleansing after handling the product.

Set out skin protection guidelines.

#### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Paste Colour: pink

Odour: characteristic

Test method

pH-Value (at 20 °C): not relevant DIN 51369

Changes in the physical state

Flash point: 295 °C

Density (at 20 °C):

Viscosity / kinematic:

not determined EN ISO 12185

214 mm²/s ASTM D 7042

(at 20 °C)

### **SECTION 10: Stability and reactivity**

# 10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

# 10.6. Hazardous decomposition products

Hazardous decomposition products: none

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### **Acute toxicity**

after ingestion: LD50: > 2000mg/kg Rat After skin contact: LD50: > 2000mg/kg Rat following inhalation: LC50: > 5mg/1/4hRat.

#### Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations

Directive (1999/45/EC).





according to Regulation (EC) No 1907/2006

#### **LASCOL TRP 11**

Revision date: 07.02.2017 Product code: 101 Page 4 of 5

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

According to the present state of knowledge negative ecological effects are not expected.

#### 12.2. Persistence and degradability

Product is biodegradable.

#### 12.3. Bioaccumulative potential

Product is biodegradable.

#### 12.4. Mobility in soil

in delivery condition: Paste

#### **Further information**

According to the present state of knowledge negative ecological effects are not expected. The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Completely emptied packings can be re-cycled. Dispose of waste according to applicable legislation.

#### Waste disposal number of waste from residues/unused products

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF

METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of

metals and plastics; spent waxes and fats; hazardous waste

#### Waste disposal number of used product

120199 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF

METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of

metals and plastics; wastes not otherwise specified

#### Contaminated packaging

Water (with cleaning agent). Completely emptied packings can be re-cycled.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

# Other applicable information (land transport)

Not restricted

### Inland waterways transport (ADN)

### Other applicable information (inland waterways transport)

Not restricted

# Marine transport (IMDG)

#### Other applicable information (marine transport)

Not restricted

### Air transport (ICAO-TI/IATA-DGR)

#### Other applicable information (air transport)

Not restricted

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture





according to Regulation (EC) No 1907/2006

### **LASCOL TRP 11**

Revision date: 07.02.2017 Product code: 101 Page 5 of 5

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: Petrolatum

#### **Additional information**

The preparation is not dangerous in the sense of Directive 1999/45/EC.

# **National regulatory information**

Water contaminating class (D): - - not water contaminating

### **SECTION 16: Other information**

### Relevant H and EUH statements (number and full text)

H350 May cause cancer.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)